

Corrigendum: Differential requirements for *Gli2* and *Gli3* in the regional specification of the mouse hypothalamus

Roberta Haddad-Tóvolli¹, Fabian A. Paul², Yuanfeng Zhang¹, Xunlei Zhou¹, Thomas Theil³, Luis Puelles^{4*}, Sandra Blaess^{2*} and Gonzalo Alvarez-Bolado^{1*}

¹ Department of Neuroanatomy, University of Heidelberg, Heidelberg, Germany, ² Laboratory of Neurodevelopmental Genetics, Life and Brain Center, Institute of Reconstructive Neurobiology, University of Bonn, Bonn, Germany, ³ Centre for Integrative Physiology, University of Edinburgh, Edinburgh, UK, ⁴ Department of Morphology, University of Murcia and Instituto Murciano de Investigación Biosanitaria, Murcia, Murcia, Spain

OPEN ACCESS

Edited and reviewed by:

Agustín González,
Universidad Complutense de Madrid,
Spain

*Correspondence:

Sandra Blaess,
sandra.blaess@uni-bonn.de;
Luis Puelles,
puelles@um.es;
Gonzalo Alvarez-Bolado,
alvarez@ana.uni-heidelberg.de

Received: 17 April 2015

Accepted: 24 April 2015

Published: 13 May 2015

Citation:

Haddad-Tóvolli R, Paul FA, Zhang Y, Zhou X, Theil T, Puelles L, Blaess S and Alvarez-Bolado G (2015) Corrigendum: Differential requirements for *Gli2* and *Gli3* in the regional specification of the mouse hypothalamus. *Front. Neuroanat.* 9:58. doi: 10.3389/fnana.2015.00058

Keywords: embryo, *Gli1*, *Gli2*, *Gli3*, hypothalamus, mouse, mutant, Shh

A commentary on

Differential requirements for *Gli2* and *Gli3* in the regional specification of the mouse hypothalamus

by Haddad-Tóvolli, R., Paul, F. A., Zhang, Y., Zhou, X., Theil, T., Puelles, L., et al. (2015). *Front. Neuroanat.* 9:34. doi: 10.3389/fnana.2015.00034

By mistake, **Figure 2** of the article by Haddad-Tóvolli et al. (2015) showed in panels (A) and (B) the same image of *Gli1* expression in E8.5 wildtype mouse embryos. It should have shown *Gli1* expression in (A) and *Gli2* expression in (B). Therefore, we provide a corrected **Figure 2**, now with panel (B) showing *Gli2* expression, as we originally intended and as the Figure legend indicates. This is a minor change not affecting the scientific content of the article.

Conflict of Interest Statement: The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Copyright © 2015 Haddad-Tóvolli, Paul, Zhang, Zhou, Theil, Puelles, Blaess and Alvarez-Bolado. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) or licensor are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.




FIGURE 2 | Expression of *Gli* genes in the presumptive hypothalamus at E8.5. *In situ* detection of marker gene expression in *Gli2*^{*zfd/+*} and *Gli2*^{*zfd/zfd*} mutant E8.5 embryos as indicated. “lat” and “med” in (A) indicate progenitor domains. Red arrowheads in (A–C) and (F–H) indicate lack of expression in the medial progenitor domain. *Nkx2-1* expression (E,J) identifies the presumptive hypothalamus. Scale bar (in A) 100 μm.